

# Accella Polyurethane Systems

## Safety Data Sheet

### 1. Identification of Substance:

Product Name: FOAMSULATE ECO FF

**Supplier Identification:**

Accella Polyurethane Systems

**Telephone:**

(306) 721-1339

**Address:**

190 Hodsman Road  
Regina, SK, Canada S4N 5X4

**24-Hr. Emergency Phone Number:**

CHEMTREC (800) 424-9300  
INTERNATIONAL: +1-(703) 527-3887

Product Use: Polyurethane polyol component

### 2. Hazards Identification:

**GHS Ratings:**

Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$
Reproductive toxin	1B	Presumed, Based on experimental animals
Organ toxin single exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (Kidneys) - Human evidence in exceptional cases

**GHS Hazards**

H315	Causes skin irritation
H318	Causes serious eye damage
H360	May damage fertility or the unborn child
H371	May cause damage to organs

**GHS Precautions**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing/eye protection/face protection
P281	Use personal protective equipment as required
P310	Immediately call a POISON CENTER in case of overexposure.
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P363	Wash contaminated clothing before reuse
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention
P309+P311	IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician
P405	Store locked up
P501	Dispose of contents/container in accordance with existing federal, state, and local environmental control laws.

**Signal Word: Danger**



**Acute Toxicity:**

**Eyes:** Irritating to eyes.

**Skin:** Harmful in contact with skin.

**Inhalation:** Harmful if inhaled.

**Ingestion:** Not expected to be a route of exposure. Consult physician.

**Chronic Effects:** Possible harmful target organ effects.

**3. Composition/Data on Components:**

Chemical Name	CAS number	Weight Concentration %
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched	940912-28-7	10.00% - 20.00%
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	5.00% - 10.00%
1,3-Propanediamine, N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethyl-	33329-35-0	5.00% - 10.00%
1,1,1,3,3-Pentafluoropropane	460-73-1	1.00% - 5.00%
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with .beta.-D-fructofuranosyl .alpha.-D-glucopyranoside	9049-71-2	1.00% - 5.00%
Poly(oxypropylene) triol	25791-96-2	1.00% - 5.00%
Diethylene glycol	111-46-6	1.00% - 5.00%
Triethyl phosphate	78-40-0	1.00% - 5.00%
Glycerin	56-81-5	1.00% - 5.00%

**4. First Aid Measures:**

**Inhalation:** If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

**After Eye Contact:** Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician

**After Skin Contact:** Clean affected area with soap and plenty of water.

**After Swallowing:** Consult physician.

**Notes to Physician:** Treat symptomatically.

### **5. Fire Fighting Measures:**

Flash Point: 102 C (216 F)

LEL: N/A

UEL: N/A

Upper and Lower Explosive Limits listed if known.

**Suitable Extinguishing Agents:** Water spray, CO2, Foam, Dry chemical.

**Information about Protection against Explosions and Fires:** Keep away from flames and sources of heat. Closed containers may rupture when exposed to extreme heat.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

**Protective Equipment:** Firefighters should wear a pressure demand self-contained breathing apparatus and protective clothing.

### **6. Accidental Release Measures:**

**Person-Related Safety Precautions:** Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

**Measures for Environmental Protection:** Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

### **7. Handling and Storage:**

**Information for Safe Handling:** Avoid contact with eyes, skin, or inhalation.

**Storage Requirements:** Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

**Regulatory Requirements:** Obey all local, state, and federal requirements.

### **8. Exposure Controls and Personal Protection:**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol 940912-28-7	Not Established	Not Established	Not Established

2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
1,3-Propanediamine, N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethyl- 33329-35-0	Not Established	Not Established	Not Established
1,1,1,3,3-Pentafluoropropane 460-73-1	Not Established	Not Established	Not Established
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-hydroxy-, ether with .beta.-D-fructofuranosyl .alpha.-D-glucofuranoside 9049-71-2	Not Established	Not Established	Not Established
Poly(oxypropylene) triol 25791-96-2	Not Established	Not Established	Not Established
Diethylene glycol 111-46-6	Not Established	Not Established	Not Established
Triethyl phosphate 78-40-0	Not Established	Not Established	Not Established
Glycerin 56-81-5	15 mg/m3 TWA (mist, total particulate); 5 mg/m3 TWA (mist, respirable fraction)	Not Established	Not Established

**Engineering Controls:** No specific measures required if proper PPE precautions are followed.

**General Protective and Hygienic Measures:** Usual precautionary measures should be adhered to when handling chemicals.

**Respiratory protection:** None required if work area is properly ventilated.

**Hand Protection:** Protective chemical resistant gloves.

**Eye Protection:** Safety glasses.

**Body Protection:** Protective work clothing. Launder separately.

## 9. Physical and Chemical Properties:

Physical properties listed where known.

<p><b>Appearance:</b> Amber liquid</p> <p><b>Vapor Pressure:</b> N/A</p> <p><b>Vapor Density:</b> N/A</p> <p><b>Specific Gravity:</b> 1.10</p> <p><b>Freezing point:</b> N/A</p> <p><b>Boiling range:</b> 100 - 342°C</p> <p><b>Evaporation rate:</b> N/A</p> <p><b>Explosive Limits:</b> N/A</p> <p><b>Autoignition temperature:</b> 229°C</p>	<p><b>Odor:</b> Mild amine odor</p> <p><b>Odor threshold:</b> N/A</p> <p><b>pH:</b> N/A</p> <p><b>Melting point:</b> N/A</p> <p><b>Solubility:</b> N/A</p> <p><b>Flash point:</b> 216°F, 102°C</p> <p><b>Flammability:</b> N/A</p> <p><b>Partition coefficient (n-octanol/water):</b> N/A</p> <p><b>Decomposition temperature:</b> N/A</p>
---	--

## 10. Stability and Reactivity:

**Chemical Incompatible Materials:** Avoid contact with isocyanates and strong oxidizing agents.

**Hazardous Polymerization:** Not expected to occur.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride

## 11. Toxicological Information:

### Mixture Toxicity

Oral Toxicity LD50: 4,089mg/kg

Inhalation Toxicity LC50: 22mg/L

### Component Toxicity

13674-84-5 2-Propanol, 1-chloro-, phosphate (3:1)

Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)

33329-35-0 1,3-Propanediamine, N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethyl-

Dermal LD50: 1,150 mg/kg (Rabbit) Inhalation LC50: 2 mg/L (Rat)

111-46-6 Diethylene glycol

Oral LD50: 1,120 mg/kg (Rat) Inhalation LC50: 5 mg/L (Rat)

### Individual Toxicity Values Listed if Known

#### Acute Toxicity:

**Eyes:** Irritating to eyes

**Skin:** Harmful in contact with skin

**Inhalation:** Not expected to be a route of exposure

**Ingestion:** Harmful if swallowed. Consult physician

**Chronic Effects:** Possible harmful target organ effects

**Routes of Entry:** Ingestion, skin contact, eye contact.

**Target Organs:** Skin, eyes, kidneys, reproductive system.

**Chemicals with Known or Possible Carcinogenic Effects:**

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			None

## 12. Ecological Information:

**General Information:** Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

### Component Ecotoxicity

2-Propanol, 1-chloro-, phosphate (3:1)

96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static]  
48 Hr EC50 Daphnia magna: 63 mg/L  
72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 4 mg/L

1,3-Propanediamine,  
N,N-bis[3-(dimethylamino)propyl]-N  
,N'-dimethyl-

48 Hr LC50 Orzyias latipes 430 mg/L  
48 Hr EC50 Daphnia 48 mg.L

Diethylene glycol

96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through]  
48 Hr EC50 Daphnia magna: 84000 mg/L

Glycerin

96 Hr LC50 Oncorhynchus mykiss: 51 - 57 mL/L [static]

### **13. Disposal Considerations:**

**Recommendation:** Observe local requirements. Dispose of in accordance with local/state/federal regulations.

**Empty Container Precautions:** Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

### **14. Transport Information:**

Not considered a dangerous good according to transport regulations unless specifically cited below:

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
	None			

### **15. Regulatory Information:**

**OSHA HAZARD COMMUNICATION STANDARD:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**SARA 311/312 Hazard Categories:** Acute health hazard, chronic health hazard

#### **California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)**

This product contains no substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute unless otherwise listed:

**Warning:** This product contains chemicals known to the State of California to cause cancer and/or birth defects or other reproductive harm:

- None

#### **Massachusetts Right To Know List:**

Glycerin 56-81-5 1 to 5 %

#### **New Jersey Right To Know List:**

Glycerin 56-81-5 1 to 5 %

#### **Pennsylvania Right To Know List:**

Glycerin 56-81-5 1 to 5 %  
Diethylene glycol 111-46-6 1 to 5 %

#### **SARA 302 Extremely Hazardous Substances:**

- None

Chemicals subject to SARA 313 Reporting:

- None

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
Canada	Canada DSL	Yes
US	Toxic Substances Control Act	Yes

**16. Other Information:**

Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Accella Polyurethane Systems. The data on these sheets relates only to the specific material designated herein. Accella Polyurethane Systems assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Date revised: 2018-01-29

Reviewer Revision 2

Date Prepared: 1/29/2018